

JXSC Mine Machinery Factory GP Cone Crusher Specification

Model	GP100C	GP100M	GP100MF	GP100EF	GP100SM
Feed opening size (mm)	150	130	100	40	200
Max feeding size (mm)	120	105	85	32	170
Weight (kg)	5700	5700	5700	5700	7350

The choice of motor: the 16 stroke, suggest use 75kW motor, 20-25stroke, suggest use 90kW.

Model	Cavity	Max feeding size (mm)	Discharge opening (mm) (CSS) Capacity (t/h)											
			5mm	6mm	7mm	11mm	12mm	13mm	15mm	17mm	18mm	19mm	22mm	24mm
DP100	C	120						65-70	70-85	75-100	75-105	80-110	85-120	90-100
	M	105				55-80	60-85		65-90	65-95	70-100	75-100		
	MF	85			45-50	50-75		55-80	60-85		65-90	65-80		
	EF	32	35-40	40-55	40-60	45-70	55-75		60-75	65				
Model	Cavity	Max feeding size (mm)	Discharge opening (mm) (CSS) Capacity (t/h)											
			20mm	25mm	30mm	35mm	40mm	45mm						
DP100S	SM	170	85-90	105-145	125-175	145-200	165-215							

DP430、DP430S、DP440、DP440S、DP660、DP660S Technical data

Model	DP430S	DP430	DP440S	DP440	DP660S	DP660
Weight (Kg)	9200	12000	19300	14300	35700	26800
Power (kW)	132	132	220	220	315	315

Model	Cavity	Max feeding size (mm)	Discharge opening size (CSS) Capacity (t/h)										
			19mm	22mm	25mm	29mm	32mm	35mm	38mm	41mm	44mm	48mm	51mm

Model	Cavity	Max feeding size (mm)	Discharge opening size (CSS) Capacity (t/h)										
			38mm	41mm	44mm	48mm	51mm	54mm	60mm	64mm	70mm	76mm	83
DP660S	EC	560		349	368-460	392-588	410-718	428-856	465-529	489-978	525-1050	562-983	604
	C	500	318	336-420	353-618	376-753	394-788	411-823	446-892	469-822	504-631		
Model	Cavity	Max feeding size (mm)	Discharge opening size (CSS) Capacity (t/h)										
			13mm	16mm	19mm	22mm	25mm	32mm	38mm	44mm	51mm		
DP660	EC	270		177	190-338	203-436	216-464	246-547	272-605	298-662	328-511		
	CX	235		174-194	187-374	200-488	212-519	242-592	268-654	293-521	323-359		
	C	215		171-190	184-367	196-480	209-510	238-582	263-643	288-512	317-353		
	MC	175		162-253	174-426	186-455	198-484	226-552	249-499	273-364			
	M	135		197-295	211-440	226-470	240-500	274-502	302-403				
	MF	115	192	207-369	222-396	237-423	252-450	287-451	318-363				
	F	90	195-304	210-328	225-352	241-376	256-400	292-401	323				
	EF	65	211-293	227-316	244-298	261-290							

JXSC Mine Machinery Factory

Address: The Industrial park,
Shicheng country, Ganzhou city,
Jiangxi province, China
Mobile Phone/Whatsup:
+86-13879771862
Email:sales@jxscmine.com

